

CERAGRÉS
LUXE

ARIZONA


LUXE



Arizona Fresco 60x60 Hexagon



ARIZONA




Arizona Roble 60x120

ARIZONA

Colori . Colours . Couleurs . Colores



Roble




Fresco


Formati . Sizes . Formats . Formatos




60x120 R
24"x48"
770633 Arizona Roble
770634 Arizona Fresco




A105




60x60 R
24"x24"
770635 Arizona Roble
770636 Arizona Fresco




A100




30x120 R
12"x48"
770637 Arizona Roble
770638 Arizona Fresco



A130




30x120 R
12"x48"
770639 Arizona Roble Left
770640 Arizona Roble Right
770641 Arizona Fresco Left
770642 Arizona Fresco Right




A160

Formati . Sizes . Formats . Formatos



52.5x60 R
21"x24"
771304 Cerdisa



A80

Formati . Sizes . Formats . Formatos



60x120 R
24"x48"
770633 Arizona Roble

A105



60x60 R
24"x24"
770635 Arizona Roble

A100



30x120 R
12"x48"
770637 Arizona Roble


A130




30x120 R
12"x48"
770639 Arizona Roble Left
770640 Arizona Roble Right

A160

Formati . Sizes . Formats . Formatos



52.5x60 R
21"x24"
771304 Cerdisa



A80

Formati . Sizes . Formats . Formatos



60x120 R
24"x48"
770634 Arizona Fresco

A105



60x60 R
24"x24"
770636 Arizona Fresco

A100



30x120 R
12"x48"
770638 Arizona Fresco

A130




30x120 R
12"x48"
770641 Arizona Fresco Left
770642 Arizona Fresco Right

A160

Formati . Sizes . Formats . Formatos



52.5x60 R
21"x24"
771304 Cerdisa



A80



BUSINESS COMMUNICATIONS
Rouse and Rouse
C. Bonaparte
M. Bonaparte
G. Bonaparte

6
Max spc
Epistemologically Different Worlds
Randall B. Parker
G. Bonaparte

The Economics of the Great Depression
Joseph Stiglitz

THE A-R-T OF ALFRED HITCHCOCK
THE A-R-T OF ALFRED HITCHCOCK
ALFRED HITCHCOCK
DONALD SPOTO

Sweden
Andrew Brown

by Massimo Maffei

CERA

ARIZONA




AGRÉS

LUXE


ARIZONA



Pezzi speciali . Trims . Pièces spéciales . Formstücke . Piezas especiales .

	 BATTISCOPA	
	100x1200	
	 	
ARIZONA	771307	

















Imballi . Packing . Conditionnement . Verpackungseinheiten . Embalajes .

FORMATO SIZE FORMAT FORMAT FORMATO	SPESSORE THICKNESS EPAISSEUR STÄRKE ESPESOR	KG/MQ KG/SQM KG/MC KG/QM KG/MQ	SCATOLA BOX BOÎTE KARTON CAJA КОРБОККА		EUROPALLET	
				mq	box	mq
60x120 . 24"x48"	9 mm . 0,35"	30	2	1.43	32	45.82
60x60 . 24"x24"	9 mm . 0,35"	30	4	1.43	40	57.20
30x120 . 12"x48"	9 mm . 0,35"	30	4	1.43	-	-
52.5x60 . 21"x24"	9 mm . 0,35"	30	4	1.43	-	-
20x120 . 8"x48"	9 mm . 0,35"	30	4	1.43	-	-

CARATTERISTICHE TECNICHE

Technical specifications | Technische Eigenschaften | Caractéristiques techniques | Características técnicas

STANDARD EN 14411 - G

CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES	NORMA STANDARD NORM NORME	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G	VALORE MEDIO CERAGRES CERAGRES AVERAGE VALUE CERAGRES MITTELWERT VALEURS MOYEN CERAGRES
CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征			NAT (UGL)
 LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側邊	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING
 SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING
 RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARÊTES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING
 ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING
 PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING
 ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%
 RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	S ≥ 2.800 N R ≥ 49 N/mm² (formato 600x600 24"x24" size)
 RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHocs - RESISTENCIA A LOS GOLPES УДАРООСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80
 RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³
 COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEUSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	-	α=7,3x10 ⁻⁶ °C ⁻¹
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHocs THERMIQUES - RESISTENCIA A LOS CHOCOS THERMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
 RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE
 RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMICALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	UB MIN.	UA ULA UHA
 RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5
 CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT
 SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA	DM. 236/89 BCRA ASTM C1028 ANSI A137.1 AS 4586:2013 DIN 51130 DIN 51097 ENV 12633 BS 7976	> 0,40 SCOF > 0,60 Wet DCOF > 0,42 - - - ≥ CL1 ≥ 36	NAT > 0,40 > 0,60 > 0,42 - R9 - CL1 ≥ 36

The logo for CERAGRÉS LUXE is displayed within a dark blue square. The word "CERAGRÉS" is written in a large, white, sans-serif font, with a small accent over the 'E'. Below it, the word "LUXE" is written in a smaller, white, sans-serif font.

CERAGRES CERAMICS PRIVATE LIMITED
7th & 8th Floor, Mascots, Times Square Building,
Western Expressway Highway, Andheri (EAST),
Mumbai, Maharashtra (INDIA)-400069
touch@ceragresceramics.com
www.ceragresceramics.com